

Supplemental Label



TetraSan[®] 5 WDG MITICIDE/OVICIDE

EPA Reg. No. 59639-108
(Except California and New York)

TETRASAN[®] 5 WDG (MITICIDE/OVICIDE) FOR USE ON INDOOR GROWN TOMATOES

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION. READ THE LABEL AFFIXED TO THE CONTAINER FOR *TETRASAN* 5 WDG (MITICIDE/OVICIDE) BEFORE APPLYING.

USE OF *TETRASAN* 5 WDG (MITICIDE/OVICIDE) ACCORDING TO THIS LABELING IS SUBJECT TO THE USE PRECAUTIONS AND LIMITATIONS IMPOSED BY THE LABEL AFFIXED TO THE CONTAINER FOR *TETRASAN* 5 WDG (MITICIDE/OVICIDE).

PESTS	PRODUCT RATE	SPECIAL INSTRUCTIONS
Spider Mites Including: Citrus Red Mite European Red Mite Lewis Spider Mite Pacific Spider Mite Southern Red Mite Spruce Spider Mite Two-spotted Spider Mite	8 to 20 oz/100 gals 4 to 10 packets/ 100 gals 16 to 40 oz/A (Each water soluble packet contains 2 oz of <i>TetraSan</i> 5 WDG) Do not apply more than 40 oz per acre per application.	Mix with sufficient water and apply as a foliar spray to obtain uniform coverage. When applied as a high volume spray, 100 gallons of spray solution will treat approximately 20,000 sq ft. <i>TetraSan</i> 5 WDG (Miticide/Ovicide) kills mite eggs (ovicidal) and nymphs, but not adult mites. For best control, apply at first sign of infestation and before large numbers of adult mites are present. Make a second application if necessary, but no sooner than 21 days after the first application. Do not apply <i>TetraSan</i> 5 WDG (Miticide/Ovicide) more than two times per cropping season. <i>TetraSan</i> 5 WDG (Miticide/Ovicide) is transovarial, meaning that treated adult mites will not produce viable eggs. Use higher rates for moderate to heavy infestations, especially with dense plant canopies. If rapid control (< 7 days) of adult mites is required, apply <i>TetraSan</i> 5 WDG (Miticide/Ovicide) in combination with a contact adulticide.

continued

INDOOR GROWN TOMATO - continued

NOTE: Since tomato varieties are numerous, constantly changing and may react differently to *TetraSan 5* WDG (Miticide/Ovicide) and tank mixtures, test the product(s) on a small scale before making large-scale applications.

Restrictions

- Do not apply within one (1) day of harvest.
- Do not apply more than 40 oz per acre per application.
- Do not make more than two (2) *TetraSan 5* WDG (Miticide/Ovicide) applications per cropping season.
- Do not exceed 80 oz *TetraSan 5* WDG (Miticide/Ovicide) (0.27 lbs ai) per acre per cropping season.
- Do not apply *TetraSan 5* WDG (Miticide/Ovicide) more than two times per cropping season.
- Do not use with an adjuvant or surfactant.

PLEASE CONTACT VALENT U.S.A. CORPORATION AT 800-6-VALENT (682-5368) TO DETERMINE IF THIS USE IS REGISTERED IN YOUR STATE.

Copyright © 2009 by Valent U.S.A. Corporation

TetraSan and *Products That Work, From People Who Care* are registered trademarks of Valent U.S.A. Corporation

Manufactured for
Valent U.S.A. Corporation
P. O. Box 8025
Walnut Creek, CA 94596-8025
www.valentpro.com

Made in U.S.A.

Form 2009-TET-0010

Products That Work, From People Who Care® | www.valentpro.com | 800-89-VALENT (898-2536)