

Tourney® FUNGICIDE

Control of Fairy Ring


Not only is it important to use an effective fungicide against fairy ring, it is also important to use a control product that persists in the soil, since that is where the fungi survive. Research has shown preventive and early curative applications of Tourney® Fungicide are very effective at controlling fairy ring when applied as directed.

Apply *Tourney* for the control of fairy ring:

- Rate: 0.37 oz/1,000 sq ft
- Spray Timing: When soil temperatures reach 65-68° F
- Spray Volume: 4-5 gal/1,000 sq ft or by watering in
- Spray Interval: Re-apply after 28 days to maintain control

One or more of over sixty different fungi can cause fairy ring symptoms. All of these fungi feed on dead, organic matter (not grass roots) in thatch and soil. As the fungi thrive, the root zone becomes hydrophobic and water cannot penetrate. Ultimately, grass dies from the drought conditions.

Early Curative Control of Fairy Ring with *Tourney*



2008. Mike Fidanza, Pennsylvania State University. Trial was conducted as an early curative. Treatments and ratings started 30 June 2008. Per label recommendations, *Tourney* and Trinity™ were applied on a 14-day interval; Prostar® was applied on a 28-day interval; Endorse® was applied on a 7-day interval.

Seeing is Believing™



Products That Work, From People Who Care® | www.valentpro.com | 800-89-VALENT (898-2536)

Read and follow label instructions before using.

Tourney and *Products That Work, From People Who Care* are registered trademarks and *Seeing is Believing* is a trademark of Valent U.S.A. Corporation. Trinity is a trademark of BASF. Prostar is a registered trademark of Bayer. Revolution is a registered trademark of Aquatrols. Endorse is a registered trademark of Arysta LifeSciences. Please check with your state to verify state registration status or call or visit us online.

© 2009 Valent U.S.A. Corporation. All rights reserved. jc/mr/lit 3/09