

Supplemental Label



CHATEAU®

HERBICIDE SW

EPA Reg. No. 59639-99

(For Use in Arizona, California and Hawaii Only)

CHATEAU® HERBICIDE SW FALLOWBED USE ON TRANSPLANTED MELON, PEPPER AND TOMATO BEDS

This supplemental label expires on June 30, 2017 and must not be used or distributed after this date.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION. READ THE LABEL AFFIXED TO THE CONTAINER FOR CHATEAU HERBICIDE SW BEFORE APPLYING. USE OF CHATEAU HERBICIDE SW ACCORDING TO THIS LABELING IS SUBJECT TO THE USE PRECAUTIONS AND LIMITATIONS IMPOSED BY THE LABEL AFFIXED TO THE CONTAINER FOR CHATEAU HERBICIDE SW.

RESTRICTIONS AND LIMITATIONS

- Do not apply more than 4 oz of *Chateau* Herbicide SW per acre during a single application.
- Do not apply more than 4 oz of *Chateau* Herbicide SW per acre during a single growing season.

Many weather related factors, including high wind or heavy rains or cool conditions at or near crop transplanting, may result in crop injury in fields treated with *Chateau* Herbicide SW. On occasion this has resulted in a delay in maturity. User should assume these risks before using *Chateau* Herbicide SW.

TIMING TO CROP


CHATEAU HERBICIDE SW FALLOWBED USE PRIOR TO TRANSPLANTING

CHATEAU HERBICIDE SW RATES	ADJUVANT	GPA	TRANSPLANTING INTERVAL
4 oz/A	Required by burndown tank mix partner	Ground – 20 to 40	2 Months

Application Method: Apply with a burndown herbicide labeled for the control of emerged weeds. *Chateau* Herbicide SW, when used alone, will not provide satisfactory control of emerged weeds.

USE RESTRICTIONS FOR *CHATEAU* HERBICIDE SW FOR PREEMERGENCE FALLOWBED WEED CONTROL PRIOR TO TRANSPLANTING


1. Always read and follow all label directions when using any pesticide alone or in tank mix combinations.
2. The top 4 inches of the bed, from a horizontal and vertical perspective, where the crop will be transplanted, must be removed prior to transplanting.
3. Use only healthy transplants. Do not use on direct seeded crops.



Beds are formed and *Chateau* Herbicide SW is applied with a burndown herbicide.



A minimum of 2 months after *Chateau* Herbicide SW application, the tops of the beds are removed and the soil from the tops of the beds is placed in the area



Crops are transplanted into beds.

4. This use pattern makes no claim for in-season weed control after the beds have been disturbed.
5. Do not apply when weather conditions favor spray drift.

PLEASE CONTACT VALENT U.S.A. CORPORATION AT 800-6-VALENT (682-5368) TO DETERMINE IF THIS USE IS REGISTERED IN YOUR STATE.

©2014 Valent U.S.A. Corporation

Chateau is a registered trademark of Valent U.S.A. Corporation

Manufactured for:

Valent U.S.A. Corporation

P.O. Box 8025

Walnut Creek, CA 94596-8025

Made in U.S.A.

2014-CHSW-0010

20140327