

FIFRA Section 2(ee) Recommendation



FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF CALIFORNIA

 FOR ORGANIC PRODUCTION

XenTari®

Biological Insecticide

Dry Flowable

EPA Reg. No. 73049-40

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

FOR THE CONTROL OF THE EUROPEAN GRAPEVINE MOTH (*Lobesia botrana*) INFESTING BERRIES AND SMALL FRUIT

DIRECTIONS FOR USE

Crop Groups	Pest	Rate	Use Directions
Berries and Small Fruit such as: Blackberry Blueberries Cranberries Grapes Raspberries Strawberry	European Grapevine Moth (<i>Lobesia botrana</i>)	1-2 lbs per acre	Use higher label rates and shorten spray intervals under heavy pest pressure. For best results apply XenTari® DF Biological Insecticide at the black head stage and through early 3 rd instars. Thorough spray coverage is needed to obtain uniform deposit of XenTari DF Biological Insecticide at the site of larval feeding. Larvae must be actively feeding on treated, exposed plant surfaces. Use a spreader sticker for hard to wet plant surfaces and to improve rain fastness.

Follow all applicable directions, restrictions and precautions on the EPA-registered labels.

It is a violation of Federal law to use these products in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of application.

THIS RECOMMENDATION EXPIRES JULY 6, 2015

Manufactured by:
Valent BioSciences Corporation
870 Technology Way, Suite 100
Libertyville, IL 60048

XenTari is a registered trademark of Valent BioSciences Corporation