

MycoApply® Liquid Endo



MycoApply® Liquid Endo is a concentrated liquid containing four top performing endomycorrhizal fungi, in purified water, that can be used as a soil drench or seed inoculant. Liquid Endo contains 952 propagules per milliliter (28,125 propagules per fluid ounce).

CONTAINS NON-PLANT FOOD INGREDIENTS:

Soil Amending Guarantee Analysis:

ACTIVE INGREDIENTS: Endomycorrhizae: *Glomus intraradices*,
Glomus aggregatum, *Glomus mosseae*, *Glomus etunicatum*
(238 propagules/ml each) 0.3%

Inert Ingredients Purified Water 99.7%

INDEX:

- 1.0 First Aid
- 2.0 Recommendations for Use
- 3.0 Storage and Handling
- 4.0 Warranty and Disclaimer

KEEP OUT OF REACH OF CHILDREN

CAUTION

1.0

First Aid	
If on skin	No first aid should be needed.

If in eyes	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
If swallowed	If symptoms persist consult doctor.
If inhaled	Remove from source of exposure. If irritation or other symptoms occurs, seek medical attention.

2.0 RECOMMENDATIONS FOR USE

MycoApply® Liquid Endo can be watered into existing plants, seed beds or roots at transplant time. The goal is to make physical contact between the inoculum and the roots/seed.

- Shake Well
- Keep Agitated
- Use as a Soil Drench

Agriculture: One gallon of Liquid Endo treats 40 acres at seeding or existing forage and grain crops in porous soils.

Existing Orchards (in porous soils):

- Young orchards: Each gallon of Liquid Endo will treat 20 acres.
- Mature Orchards: Each gallon of Liquid Endo will treat 10 acres.

Turf: One gallon of Liquid Endo treats 150,000 square feet. Can be diluted or mixed with other compatible liquids during application.

Nursery/Forestry: Use for tree seedling production (endomycorrhizal trees). One gallon of Liquid Endo treats 85,000 tree seedlings (1.5 ounces/1000 seedlings).

Fungicide use: Some fungicides should not be used with MycoApply Liquid Endo as a drench or for the first four weeks following seed germination. Many fungicides do not adversely affect mycorrhizae.

3.0 STORAGE AND HANDLING

Storage: Product can be stored in a cool, dry area (Less than 120 ° Fahrenheit) without loss of viability. Keep container tightly sealed.

Spills: Stop spill at source. Mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. After all visible traces have been removed, flush area thoroughly with water.

Product & Waste Disposal: Dispose of all waste in accordance with local, state and federal regulations.

4.0 WARRANTY AND DISCLAIMER

To the extent consistent with applicable law, seller makes no warranty, express or implied of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. To the extent consistent with applicable law, user assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

“This Product is not a Plant Food” Information regarding the contents and levels of metals in this product is available on the internet at:

<http://www.aapfco.org/metals.htm>

MycoApply® is a registered trademark of Mycorrhizal Applications

Manufactured by:
Mycorrhizal Applications
P.O. Box 1029
Grants Pass, OR 97528

Distributed by:
Valent U.S.A. Corporation
P.O. Box 8025
Walnut Creek, CA 94596-8025