





| Foliar Application in Soybeans |

Belay[®] Insecticide is a broad spectrum and long lasting insecticide for hard-to-control pests in soybeans.

- **Broad spectrum:** controls soybean aphids, stink bugs, including brown marmorated stink bug, leafhoppers, bean leaf beetles, Japanese beetle & more
- **Long lasting:** *Belay* typically offers 14 days of residual control, and in some cases, up to 21 days of control, with superior rain fastness
- ***Belay* has translaminar movement:** quickly reaches pests where they feed

Belay Controls Soybean Pests



How To Use

Rate	3–4 fl oz/A
Timing	Apply <i>Belay</i> Insecticide when target pest(s) threshold populations are observed. Do not wait until population beyond threshold has been established.
Method	Ground or aerial application
Spray volume	Ground: 10–20 gal/A, Air: 3–10 gal/A
REI	12 hours
Pre-harvest interval	21 days
Adjuvant	Apply with NIS for maximum performance. Valent recommends the use of a Chemical Producers and Distributors Association-certified adjuvant.



Other Important Information

- | | | |
|-------|----|-------------|
| GROUP | 4A | INSECTICIDE |
|-------|----|-------------|
- Signal word: Caution
- Application interval: 7 days
- Do not graze or feed soybean forage and hay to livestock.
- *Belay* has local translaminar and systemic movement, via the xylem, following a foliar spray to actively growing plants. This means *Belay* also controls insect pests feeding on the underside of the leaf.
- *Belay* is compatible with commonly used tank mixes. Always follow mixing order and compatibility testing instructions. Maintain agitation when mixing and applying *Belay*.
- Do not apply more than 12 fl oz of *Belay* or 0.2 lb ai of clothianidin (either as foliar and/or seed treatment or a combination of different application methods) per acre per season.
- *Belay* may be used 45 days after a seed treatment containing a neonicotinoid, such as INOVATE[®] Seed Protectant, allowing growers maximum flexibility to control early season and late season insect pests in their crops.
- If application is being made when the target pest numbers are above threshold levels and/or plants are reaching senescence, apply 3 fl oz/A of *Belay* and tank mix with a pyrethroid or organophosphate insecticide such as Lorsban[®].
- *Belay* is labeled to minimize harm to the environment, including beneficial insects such as bees. The acute toxicity of *Belay* to bees is similar to other chemistries in its class.



Products That Work, From People Who Care[®] | www.valent.com | 800-6-VALENT (682-5368)

Read and follow the label instructions before using.

Smarter Control is a trademark and Products That Work, From People Who Care is a registered trademark of Valent U.S.A. Corporation. *Belay* is a registered trademark of Sumitomo Chemical Company, Limited. INOVATE is a registered trademark of Chemtura Corporation. Brigadier and Hero are registered trademarks of FMC Corporation. Endigo ZC and Warrior are registered trademarks of Syngenta. Lorsban is a registered trademark of Dow AgroSciences, LLC. © 2012 Valent U.S.A. Corporation. All rights reserved. Printed in the U.S.A. 2012-BEL-8006 8/12 mf