

| California |


Eliminate Weeds in Your Rice Fields

League[®] MVP Herbicide is an unbeatable play against sedge, broadleaf, aquatic and grass weeds in water-seeded rice in California. It offers solid preemergence residual foundation defense of your rice yield potential.

League MVP delivers:

- ▶ A strike against weeds as they emerge, providing early residual control
- ▶ Full spectrum control of sedge, broadleaf, aquatic and grass weeds, such as smallflower umbrellaplant, ricefield bulrush, redstems and sprangletop, as well as suppression of watergrass (early and late)
- ▶ A single application that uniquely controls a broad spectrum of weeds
- ▶ A well-matched play with other foliar weed control


League MVP Rate Performance Comparison



How To Use

Rate	30 or 35 lb/A
Timing to Crop	Apply after flooding when rice is in the expanded two-leaf stage (first open leaf)
Timing to Weeds	Weeds beyond the one-leaf growth stage may not be controlled
REI	12 hours

League MVP Weed Control in Water Seeded Rice



Weeds Controlled	Bulrush, ricefield	Pondweed, American	Umbrellaplant, smallflower
	Burhead	Redstems	Watergrass, early
	Ducksalad	Sprangletop	Waterhyssops

Weeds Suppressed	Watergrass, late
-------------------------	------------------

Other Important Information

- ▶ Granule with rapid dispersibility—quickly dissolves in water
- ▶ High uniformity promoting consistent material application
- ▶ Spherical shape delivers consistent flowability, durable, robust handling
- ▶ Do not drain *League MVP*-treated fields for a minimum of 14 days after application, except where state regulation may require a longer water-holding period (19 or 30 days) or shorter water-holding periods for hydrologically isolated fields (as verified by the County Agricultural Commissioner), or for fields associated with systems designed to isolate discharged water from natural bodies of water
- ▶ Water level in the checks should be maintained at 3–4 inches with no exposed soils. Water flow should be maintained at a minimum during and up to 4 days after treatment for good weed control.